Mobile Laptops

Displays / Desktops

SSD

SSD

2TB PCle® 4.0 NVMe™ M.2

Motherboards / Components Networking / IoT / Servers

Accessories

Support

Gaming Business

ASUS TUF Gaming A17 (2023)

Tech Specs Review Support Overview











Model	FA707XI	FA707XV	FA707XU	FA707NV
Operating System	Windows 11 Home	Windows 11 Home	Windows 11 Home	Windows 11 Home
	No preinstalled OS	No preinstalled OS	No preinstalled OS	No preinstalled OS
	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
Processor	AMD Ryzen™ 9 7940HS	AMD Ryzen™ 9 7940HS	AMD Ryzen™ 9 7940HS	AMD Ryzen™ 7 7735HS
	Mobile Processor (8-core/16-	Mobile Processor (8-core/16-	Mobile Processor (8-core/16-	Mobile Processor (8-core/16-
	thread, 16MB L3 cache, up	thread, 16MB L3 cache, up	thread, 16MB L3 cache, up	thread, 16MB L3 cache, up
	to 5.2 GHz max boost)	to 5.2 GHz max boost)	to 5.2 GHz max boost)	to 4.7 GHz max boost)
Graphics	NVIDIA® GeForce RTX™ 4070	NVIDIA® GeForce RTX™ 4060	NVIDIA® GeForce RTX™ 4050	NVIDIA® GeForce RTX™ 4060
	Laptop GPU, 2225MHz*	Laptop GPU, 2420MHz* at	Laptop GPU, 2420MHz* at	Laptop GPU, 2420MHz* at
	at140W (2175MHz Boost	140W (2370MHz Boost	140W (2370MHz Boost	140W (2370MHz Boost
	Clock+50MHz OC,	Clock+50MHz OC,	Clock+50MHz OC,	Clock+50MHz OC,
	115W+25W Dynamic Boost),	115W+25W Dynamic Boost),	115W+25W Dynamic Boost),	115W+25W Dynamic Boost),
	8GB GDDR6	8GB GDDR6	6GB GDDR6	8GB GDDR6
Display	17.3-inch, WQHD (2560 x 1440) 16:9, IPS-level, Anti- glare display, DCI-P3:100%, Refresh Rate:240Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus 17.3-inch, FHD (1920 x 1080) 16:9, Value IPS-level, Anti- glare display, sRGB:62.5%, Adobe:47.34%, Refresh Rate:144Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus	17.3-inch, WQHD (2560 x 1440) 16:9, IPS-level, Anti- glare display, DCI-P3:100%, Refresh Rate:240Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus 17.3-inch, FHD (1920 x 1080) 16:9, Value IPS-level, Anti- glare display, sRGB:62.5%, Adobe:47.34%, Refresh Rate:144Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus	17.3-inch, FHD (1920 x 1080) 16:9, Value IPS-level, Antiglare display, sRGB:62.5%, Adobe:47.34%, Refresh Rate:144Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus 17.3-inch, WQHD (2560 x 1440) 16:9, IPS-level, Antiglare display, DCI-P3:100%, Refresh Rate:240Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus	17.3-inch, FHD (1920 x 1080) 16:9, Value IPS-level, Antiglare display, sRGB:62.5%, Adobe:47.34%, Refresh Rate:144Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus 17.3-inch, WQHD (2560 x 1440) 16:9, IPS-level, Antiglare display, DCI-P3:100%, Refresh Rate:240Hz, G-Sync, MUX Switch + NVIDIA® Advanced Optimus
Memory	8GB DDR5-4800 SO-DIMM x 2, Max Capacity:32GB, Support dual channel memory 16GB DDR5-4800 SO-DIMM x 2, Max Capacity:32GB, Support dual channel memory 16GB DDR5-4800 SO-DIMM, Max Capacity:32GB, Support dual channel memory	8GB DDR5-4800 SO-DIMM x 2, Max Capacity:32GB, Support dual channel memory	8GB DDR5-4800 SO-DIMM x 2, Max Capacity:32GB, Support dual channel memory	8GB DDR5-4800 SO-DIMM x 2, Max Capacity:32GB, Support dual channel memory
Storage	1TB PCIe® 4.0 NVMe™ M.2	1TB PCIe® 4.0 NVMe™ M.2	1TB PCle® 4.0 NVMe™ M.2	512GB PCle® 4.0 NVMe™ M.2
	SSD	SSD	SSD	SSD

512GB PCle® 4.0 NVMe™ M.2 512GB PCle® 4.0 NVMe™ M.2 512GB PCle® 4.0 NVMe™ M.2 1TB PCle® 4.0 NVMe™ M.2

SSD

SSD

2TB PCle® 4.0 NVMe™ M.2

SSD

SSD

2TB PCle® 4.0 NVMe™ M.2

SSD

SSD

2TB PCle® 4.0 NVMe™ M.2

I/O Ports	1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery / G-SYNC 1x RJ45 LAN port 1x Type C USB 4 support DisplayPort™	1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery / G-SYNC 1x RJ45 LAN port 1x Type C USB 4 support DisplayPort™	1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery / G-SYNC 1x RJ45 LAN port 1x Type C USB 4 support DisplayPort™	1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 1 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery / G-SYNC 1x RJ45 LAN port 1x Type C USB 4 support DisplayPort™
Keyboard and Touchpad	Backlit Chiclet Keyboard 1- Zone RGB Touchpad			
Camera	720P HD camera	720P HD camera	720P HD camera	720P HD camera
Audio	Dolby Atmos Al noise-canceling technology Hi-Res certification Support Microsoft Cortana near field/Far field Built-in array microphone 2-speaker system	Dolby Atmos Al noise-canceling technology Hi-Res certification Support Microsoft Cortana near field/Far field Built-in array microphone 2-speaker system	Dolby Atmos Al noise-canceling technology Hi-Res certification Support Microsoft Cortana near field/Far field Built-in array microphone 2-speaker system	Dolby Atmos Al noise-canceling technology Hi-Res certification Support Microsoft Cortana near field/Far field Built-in array microphone 2-speaker system
Network and Communication	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 (*Bluetooth® version may change with OS version different.)	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 (*Bluetooth® version may change with OS version different.)	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 (*Bluetooth® version may change with OS version different.)	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 (*Bluetooth® version may change with OS version different.)
Battery	90WHrs, 4S1P, 4-cell Li-ion			
Power Supply	ø6.0, 240W AC Adapter, Output: 20V DC, 12A, 240W, Input: 100~240C AC 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal	ø6.0, 240W AC Adapter, Output: 20V DC, 12A, 240W, Input: 100~240C AC 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal	ø6.0, 240W AC Adapter, Output: 20V DC, 12A, 240W, Input: 100~240C AC 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal	ø6.0, 240W AC Adapter, Output: 20V DC, 12A, 240W, Input: 100~240C AC 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal
Weight	2.60 Kg (5.73 lbs)			
Dimensions (W x D x H)	39.5 x 26.4 x 2.29 ~ 2.54 cm (15.55" x 10.39" x 0.90" ~ 1.00")	39.5 x 26.4 x 2.29 ~ 2.54 cm (15.55" x 10.39" x 0.90" ~ 1.00")	39.5 x 26.4 x 2.29 ~ 2.54 cm (15.55" x 10.39" x 0.90" ~ 1.00")	39.5 x 26.4 x 2.29 ~ 2.54 cm (15.55" x 10.39" x 0.90" ~ 1.00")
Xbox Game Pass	Xbox Game Pass Ultimate_3 months (*Terms and exclusions apply. Offer only available in eligible markets for Xbox Game Pass Ultimate. Eligible markets are determined at activation. Game catalog varies by region, device, and time.)	Xbox Game Pass Ultimate_3 months (*Terms and exclusions apply. Offer only available in eligible markets for Xbox Game Pass Ultimate. Eligible markets are determined at activation. Game catalog varies by region, device, and time.)	Xbox Game Pass Ultimate_3 months (*Terms and exclusions apply. Offer only available in eligible markets for Xbox Game Pass Ultimate. Eligible markets are determined at activation. Game catalog varies by region, device, and time.)	Xbox Game Pass Ultimate_3 months (*Terms and exclusions apply. Offer only available in eligible markets for Xbox Game Pass Ultimate. Eligible markets are determined at activation. Game catalog varies by region, device, and time.)

Security

BIOS Administrator
Password and User
Password Protection
Kensington Security Slot™
Trusted Platform Module
(Firmware TPM)

BIOS Administrator

Password and User

Password Protection

Kensington Security Slot™

Trusted Platform Module

(Firmware TPM)

BIOS Administrator
Password and User
Password Protection
Kensington Security Slot™
Trusted Platform Module
(Firmware TPM)

BIOS Administrator
Password and User
Password Protection
Kensington Security Slot™
Trusted Platform Module
(Firmware TPM)

Included in the Box

TUF backpack
P309 TUF GAMING M3
TYPE-C, 100W AC Adapter,
Output: 20V DC, 5A, 100W,
Input: 100~240V AC 50/60Hz
universal

*Included accessories vary according to country and territory. Please check with your local ASUS retailer for details TUF backpack
P309 TUF GAMING M3
TYPE-C, 100W AC Adapter,
Output: 20V DC, 5A, 100W,
Input: 100~240V AC 50/60Hz
universal
*Included accessories vary
according to country and
territory. Please check with

your local ASUS retailer for

details

TUF backpack
P309 TUF GAMING M3
TYPE-C, 100W AC Adapter,
Output: 20V DC, 5A, 100W,
Input: 100~240V AC 50/60Hz
universal
*Included accessories vary
according to country and
territory. Please check with
your local ASUS retailer for
details

TUF backpack
P309 TUF GAMING M3
TYPE-C, 100W AC Adapter,
Output: 20V DC, 5A, 100W,
Input: 100~240V AC 50/60Hz
universal
*Included accessories vary
according to country and
territory. Please check with
your local ASUS retailer for
details

About Us

News

About ASUS

Press Room

ASUSTOR Inc.

Investor Relations

About CSR for global

ASUS Cloud Corporation

UniMax Electronics Inc.

Microsoft Office

Office Home and Student

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

IPS stands for in-plane switching, a type of LED (a form of LCD) display panel technology.

Unless otherwise stated, all performance claims are based on theoretical performance. Actual figures may vary in real-world situations.

The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, and Xeon Inside are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

Product specifications may differ from country to country. We recommend that you check with your local dealers for the specifications of the products available in your country. Colors of products may not be perfectly accurate due to variations caused by photography and monitor settings. Due to photographic variables and conditions, actual product appearance may differ from images shown on this site. Although we endeavor to present the most accurate and comprehensive information at the time of publication, we reserve the right to make changes without prior notice.

- Price may not include extra fee, including tax > shipping > handling > recycling fee.
- For pricing information, ASUS is only entitled to set a recommendation resale price. All resellers are free to set their own price as they wish.
- * Result from Mobile Mark 2014 office productivity.

*The standard Asus test environment for battery life is as follows: Windows operating system, display module with 150 nits of brightness, lighting off, and other application settings.

Video Playback: Testing is done with Wi-Fi/Bluetooth off, Windows Power Plan set to Balanced, Taskbar Power Mode set to Battery Saver, system volume at 67%, and video at full screen, 1080p resolution.

Web Browsing: Testing is done with Wi-Fi/Bluetooth, Windows Power Plan set to Balanced, Taskbar Power Mode set to Better Battery, and using the Weblooper Top50 website in Google Chrome to play the video with a refresh time of 10 seconds.

*Factors that affect battery life include laptop configuration, power settings, and the way it is used. Battery capacity fades with its cycle count and age.

*Quick-charging times apply when using the proper ASUS/ROG adapter included alongside the select model and the system is powered off (via the "shut down" command). In compatible scenarios, batteries can be recharged to 50% within 30 minutes under the optimal temperature range of 20-45 degrees Celsius.-Charging times may vary +/- 10% due to system tolerance.

The testing regime includes the requirements of both military-grade standards and ASUS quality tests, and varies depending on device. MIL-STD-810 testing is conducted on selected ASUS products only. Note that the MIL-STD-810 testing helps to ensure the quality of ASUS products but does not indicate a particular fitness for military use. The test is performed under laboratory conditions. Any damage caused by attempts to replicate these test conditions would be considered accidental, and would not be covered by the standard ASUS warranty. Additional coverage is available with ASUS Premium Care.

The actual HDMI version of the products should be checked in the product specifications page respectively.

Laptops For Gaming TUF Gaming ASUS TUF Gaming A17 (2023)

System

Business Network Solutions

Shop and Learn			Learn More	Support
Mobile	Workstations	Wired Networking	Asus Design Center	Check Repair Status
Phones	Accessories	Intelligent Robots	ASUSPRO	Find Service Locations
Accessories	Motherboards / Components	AloT & Industrial Solutions	Automotive Solutions	Product Registration
Laptops	Motherboards	Servers	AVC Licensing Notice	Email Us
For Home	Graphics Cards	Smart Home	ASUS Blog	Call Us
For Work	Gaming Cases	Accessories		Security Advisory
For Creators	Cooling	Keyboards		ASUS Support Videos
For Students	Power Supply Units	Mice and Mouse Pads		MyASUS
For Gaming	Sound Cards	Headsets and Audio		
Accessories	Optical Drives	Streaming Kits		
Displays / Desktops	Data Storage	Apparel Bags and Gear		
Monitors	External Graphics Docks	Cases and Protection		
Projectors	Networking / IoT / Servers	Adapters and Chargers		
All-in-One PCs	WiFi 7	Docks Dongles and Cable		
Tower PCs	WiFi 6	Power Banks		
Gaming Tower PCs	WiFi Routers	Controller		
Mini PCs	Whole Home Mesh WiFi	Gimbal		













©ASUSTeK Computer Inc. All rights reserved. Terms of Use Notice | Privacy Policy

⊕ Global / English