

[Mobile /
Handhelds](#)[Laptops](#)[Displays /
Desktops](#)[Motherboards /
Components](#)[Networking /
IoT / Servers](#)[Accessories](#)[Support](#)

VC239HE

[Overview](#)[Tech Specs](#)[Review](#)[Support](#)

Viewing 1 - 1 of 1



Model

VC239HE

Display

Panel Size (inch) : 23
Aspect Ratio : 16:9
Display Viewing Area (H x V) : 509.2 x 286.4 mm
Display Surface : Non-Glare
Backlight Type : LED
Panel Type : IPS
Viewing Angle (CR \geq 10, H/V) : 178°/ 178°
Pixel Pitch : 0.265mm
Resolution : 1920x1080
Brightness (Typ.) : 250cd/m²
Contrast Ratio (Typ.) : 1000:1
Display Colors : 16.7M
Response Time : 5ms (GTG σ)
Refresh Rate (Max) : 60Hz
Flicker-free : Yes

Video Feature

SPLENDID Technology : Yes
Color Temp. Selection : Yes(4 modes)
QuickFit : Yes
Low Blue Light : Yes

Audio Feature

Speaker : No

I/O Ports

HDMI(v1.4) x 1
VGA x 1

Signal Frequency

Digital Signal Frequency : 30~80 KHz (H) / 56~76 Hz (V)
Analog Signal Frequency : 30~80 KHz (H) / 56~76 Hz (V)

Power Consumption

Power Consumption : <16W
Voltage : 100-240V, 50/60Hz

Mechanical Design

Tilt : Yes (+20° ~ -5°)
Height Adjustment : No
VESA Wall Mounting : 100x100mm
Kensington Lock : Yes

Dimensions (Esti.)

Phys. Dimension with Stand (W x H x D) : 533.2 x 383.17 x 199.55 mm
Phys. Dimension without Stand (W x H x D) : 533.2 x 322.11 x 45.75 mm
Box Dimension (W x H x D) : 589 x 443 x 121 mm

Weight (Esti.)

Net Weight with Stand : 3.4 Kg
Net Weight without Stand : 3 Kg
Gross Weight : 5.2 Kg

Accessories (vary by regions)

- HDMI cable
- Power adapter
- Power cord
- Quick start guide
- Warranty Card

Certificate

- TÜV Flicker-free
- TÜV Low Blue Light



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

ASUS [Displays / Desktops](#) [Monitors](#) [Eye Care](#) [VC239HE](#)

Shop and Learn

Mobile / Handhelds

- Phones
- Accessories

Laptops

- For Home
- For Work

Workstations

Accessories

Motherboards / Components

- Motherboards
- Graphics Cards
- Gaming Cases

Wired Networking

Intelligent Robots

AIoT & Industrial Solutions

Servers

- Smart Home
- Accessories

Learn More

- Asus Design Center
- ASUSPRO
- Automotive Solutions

Support

- Check Repair Status
- Find Service Locations
- Product Registration

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global

For Creators	Cooling	Keyboards	AVC Licensing Notice	Email Us	Press Room
For Students	Power Supply Units	Mice and Mouse Pads	ASUS Blog	Call Us	ASUSTOR Inc.
For Gaming	Sound Cards	Headsets and Audio		Security Advisory	ASUS Cloud Corporation
Accessories	Optical Drives	Streaming Kits		ASUS Support Videos	
Displays / Desktops	Data Storage	Apparel Bags and Gear		MyASUS	UniMax Electronics Inc.
Monitors	External Graphics Docks	Cases and Protection			
Projectors	Networking / IoT / Servers	Adapters and Chargers			
All-in-One PCs	WiFi 7	Docks Dongles and Cable			
Tower PCs	WiFi 6	Power Banks			
Gaming Tower PCs	WiFi Routers	Controller			
Mini PCs	Whole Home Mesh WiFi System	Gimbal			
	Business Network Solutions				

