

# **OVERVIEW**



1. Card reader	5. HDMI 1.4
2. USB 3.2 Gen 1	6. USB-C 3.2 Gen 1
3. Power connector	7. Headphone / microphone combo jack (3.5mm)
4. USB 3.2 Gen 1	



# **PERFORMANCE**

## **Processor**

### **Processor Family**

Intel® N-series or Intel Core™ i3 N-series Processor

## Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
N200	4	4	1.0GHz	3.7GHz	6MB	Intel UHD Graphics
N100	4	4	0.8GHz	3.4GHz	6MB	Intel UHD Graphics
Core i3-N305	8	8	1.8GHz	3.8GHz	6MB	Intel UHD Graphics

# **Operating System**

## Operating System\*\*[1]

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home in S mode
- Windows 11 Home Single Language
- Windows 11 Home Single Language in S mode
- No operating system

### Notes:

1. Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

# **Graphics**

## **Graphics**

Graphics	Туре	Memory	TGP	Key Features
Intel UHD Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1

# **Monitor Support**

# **Monitor Support**

Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and USB-C®)

- HDMI supports up to 4K@30Hz
- USB-C supports up to 4K@60Hz

# **Chipset**

### Chipset

Intel SoC (System on Chip) platform

# **Memory**

# **Max Memory**

- 4GB soldered memory, not upgradable
- 8GB soldered memory, not upgradable

# **Memory Slots**

Memory soldered to systemboard, no slots

### **Memory Type**

LPDDR5-4800

# **Storage**

# Storage Support[1]

- One drive, up to 512GB M.2 2242 SSD
- 128GB UFS 3.1 on systemboard

# Storage Slot

• UFS on systemboard, no slots



• One M.2 PCle® 3.0 x4 slot (M.2 SSD models)

#### **Storage Type**

Disk Type Interface		Offering
Flash Memory <sup>[2]</sup>	UFS 3.1	128GB
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x4	128GB
M.2 2242 SSD <sup>[3]</sup>	PCIe NVMe, PCIe 4.0 x4	256GB / 512GB

#### Notes:

- 1. The storage capacity supported is based on the test results with current Lenovo® storage offerings. The system may support larger storage as the technology develops.
- 2. UFS 3.1 storage is downgraded to closer to UFS 2.1 due to platform limitations.
- 3. The SSD with PCIe 4.0 x4 is downgraded to closer to PCIe 3.0 x4 due to Intel platform limitations.

# Removable Storage

#### **Card Reader**

SD card reader

### Multi-Media

### **Audio Chip**

High Definition (HD) Audio

#### **Speakers**

User-facing stereo speakers, 1.5W x2, optimized with Dolby® Audio™

#### Microphone

Dual-microphone array with noise-cancelling

#### Camera\*\*

- HD 720p, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus

# **Battery**

# **Battery**

Integrated Li-Polymer 47Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)

#### Max Battery Life[1]

Local video (1080p) playback@150nits: 11.7 hr

MobileMark® 2018@200nits: 8 hr

### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

### **Power Adapter**

65W round tip (3-pin) AC adapter, 100-240V, 50-60Hz

# **DESIGN**

# **Display**

## Display\*\*[1][2]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle (L/R/U/D)
15.6"	FHD (1920x1080)	None	TN	250 nits	Anti- glare	16:9	400:1	45% NTSC	45°/45°/15°/35°

# IdeaPad Slim 3 15IAN8



15.6"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	800:1	45% NTSC	85°/85°/85°
-------	--------------------	------	-----	----------	----------------	------	-------	----------	-------------

#### **Touchscreen**

Non-touch

## Notes:

- 1. California Electronic Waste Recycling Fee In California USA, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, please go to https://www.calrecycle.ca.gov/Electronics/Consumer
- 2. IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## **Input Device**

### Keyboard

6-row, multimedia Fn keys, numeric keypad

#### **Keyboard Backlight**

- LED backlight
- · Non-backlight

#### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 69 x 104 mm (2.72 x 4.09 inches)

### Mechanical

## Dimensions (WxDxH)[1]

359.3 x 235 x 17.9 mm (14.15 x 9.25 x 0.70 inches)

#### Weight<sup>[2]</sup>

Starting at 1.55 kg (3.42 lbs)

### Case Color\*\*

- Abyss blue
- Arctic grey
- Frost blue

## **Surface Treatment**

IMR (in-mold decoration by roller)

#### **Case Material**

PC-ABS (top), PC-ABS (bottom)

#### Notes:

- 1. The system dimensions may vary depending on configurations.
- 2. The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

## **Network**

## Ethernet

No onboard Ethernet

## WLAN + Bluetooth®\*\*[1]

- 802.11ac 2x2 Wi-Fi® + Bluetooth 5.1, M.2 card
- Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card[2]

#### Notes.

- 1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.
- 2. Wi-Fi 6 full features might be limited by country-level restrictions.

## **Ports**<sup>[1]</sup>



#### **Standard Ports**

- 2x USB 3.2 Gen 1
- 1x USB-C 3.2 Gen 1 (support data transfer, Power Delivery and DisplayPort™ 1.2)
- 1x HDMI 1.4
- 1x Card reader
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s; USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4 40Gbps (USB 40Gbps): 40 Gbit/s; Thunderbolt™ 3/4: 40 Gbit/s

## **SECURITY & PRIVACY**

## Security

### **Security Chip**

Firmware TPM 2.0 integrated in SoC

#### **Fingerprint Reader**

- Touch style fingerprint reader integrated in power button
- · No fingerprint reader

# **BIOS Security**

- Administrator password
- Power-on password
- Hard disk password (M.2 SSD models only)
- Self-healing BIOS

# **Other Security**

Camera privacy shutter

## **SERVICE**

# **Warranty**<sup>(1)</sup>

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

#### Notes:

1. The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

# **ENVIRONMENTAL**

# **Operating Environment**

#### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

## Humidity

• Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)

# IdeaPad Slim 3 15IAN8



• Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

# CERTIFICATIONS

### 

### **Green Certifications**

- EPEAT™ Silver Registered<sup>[2]</sup>
- ENERGY STAR® 8.0
- ErP Lot 6
- ErP Lot 26
- RoHS compliant

#### Notes:

- 1. The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.
- 2. EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

### Other Certifications

#### Mil-Spec Test

MIL-STD-810H military test passed (20 test items)

#### **Other Certifications**

TÜV Rheinland® Low Blue Light (Software Solution)

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



