
# **OVERVIEW**



1. Power Connector *	5. SD card reader
2. HDMI	6. Headphone / microphone combo jack (3.5mm)
3. USB-C 3.2 Gen 2	7. 2x USB 3.2 Gen 1 (one Always On)
4. Thunderbolt 4	

Notes:

• Items with \* are only available on selected models

Lenovo

# PERFORMANCE

## Processor

### **Processor Family**

Intel<sup>®</sup> H Series Core<sup>™</sup> Ultra 5 / 7 / 9 Processor (Series 1)

# **Operating System**

#### **Operating System**\*\*

- Windows® 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

## **Graphics**

## Graphics

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
Intel Arc™ GPU	Integrated	Shared	-	Share CPU TDP	DirectX® 12.1

## **Monitor Support**

#### **Monitor Support**

- Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™)
- HDMI supports up to 4K@60Hz
- USB-C supports up to 4K@60Hz
- Thunderbolt supports up to 8K@60Hz

## Chipset

## Chipset

Intel SoC (System on Chip) platform

## Memory

#### **Max Memory**

- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

#### Memory Slots

Memory soldered to systemboard, no slots, dual-channel

#### **Memory Type**

LPDDR5x-7467

## Storage

#### Storage Support<sup>[1]</sup>

Up to two drives, 2x M.2 SSD • M.2 2242 SSD up to 1TB

#### Storage Slot

Two M.2 slots

- One M.2 2242 PCIe® 4.0 x4 slot
- One M.2 2280 PCIe 4.0 x4 slot

## Storage Type

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe NVMe®, PCIe 4.0 x4	512GB / 1TB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo<sup>®</sup> storage offerings.

# **Removable Storage**

## Card Reader

# IdeaPad Pro 5 16IMH9

Lenovo

SD card reader

## Multi-Media

## Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

### Speakers

Stereo speakers, 2W x2, optimized with Dolby® Atmos®

#### Microphone

Dual-microphone array

#### Camera

FHD 1080p + IR, with privacy shutter, fixed focus, with ToF sensor

## Sensor

## Sensors

- Hall sensor
- ToF sensor

## **Battery**

## Battery

Integrated Li-Polymer 84Wh battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge)[1]

Max Battery Life<sup>[2]</sup> Integrated graphics models: MobileMark® 25: 10 hr Local video (1080p) playback@150nits: 21.5 hr

Notes:

[1] Rapid Charge Express is only effective in hibernates or fully shutting down the computer.

[2] All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

Power Adapter\*\*[1]

- 100W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 170W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

# DESIGN

## **Display**

## Display\*\*

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
16″	2K (2048x1280)	None	OLED	400nits	Glossy	16:10	1000000:1	100% DCI- P3	120Hz (Max)	85°/85°/85°/85°	Eyesafe® Certified 2.0, VESA DisplayHDR™ True Black 500
16″	2K (2048x1280)	Multi- touch	OLED	400nits	Glossy	16:10	1000000:1	100% DCI- P3	120Hz (Max)	85°/85°/85°/85°	Eyesafe Certified 2.0, VESA

PSREF Product Specifications Reference

											DisplayHDR True Black 500, Glass
16″	2.5K (2560x1600)	None	IPS <sup>[1]</sup>	350nits	Anti- glare	16:10	1200:1	100% sRGB	120Hz (Max)	89°/89°/89°/89°	Eyesafe Certified 2.0

#### Touchscreen

• OGS (One Glass Solution) multi-touch, supports 10-point touch

Non-touch

#### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## Input Device

#### Keyboard

6-row, multimedia Fn keys, numeric keypad

## Keyboard Backlight

LED backlight

#### Touchpad

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 80 x 135 mm (3.15 x 5.31 inches)

## **Mechanical**

#### Dimensions (WxDxH)<sup>[1]</sup>

356 x 251 x 17.5 mm (14.02 x 9.88 x 0.69 inches)

#### Weight<sup>[2]</sup>

Models	Weight
Integrated graphics models	Starting at 1.91 kg (4.21 lbs)

#### Case Color

Arctic grey

#### Surface Treatment

Aluminium stamping (anodized with sandblasting)

#### **Case Material**

Aluminium (top), aluminium (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

#### **Network**

Ethernet

No onboard Ethernet

#### WLAN + Bluetooth®

Wi-Fi<sup>®</sup> 6E, 802.11ax 2x2 Wi-Fi + Bluetooth 5.3, M.2 card

#### Notes:

[1] Wi-Fi 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.

Bluetooth 5.3 operation requires Windows 11. For more information please see <u>General Bluetooth Support Information on</u> <u>Microsoft</u><sup>®</sup>.

## **Ports**<sup>III</sup>

#### **Standard Ports**

- 1x HDMI 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x SD card reader
- 1x Thunderbolt 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 2.1)
- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 3.0 and DisplayPort 2.1)

#### **Optional Ports**

1x Power connector (models with discrete graphics)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s; USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4 40Gbps (USB 40Gbps): 40 Gbit/s; Thunderbolt 3/4: 40 Gbit/s.

# **SECURITY & PRIVACY**

## **Security**

#### Security Chip

Firmware TPM 2.0 integrated in SoC

## Fingerprint Reader

No fingerprint reader

#### **BIOS Security**

- Administrator password
- User password
- Master hard disk password
- User hard disk password
- Self-healing BIOS

#### **Other Security**

- Camera privacy shutter
- IR camera for Windows Hello

# SERVICE

## **Warranty**<sup>III</sup>

#### **Base Warranty\*\***

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <u>https://smartfind.lenovo.com/</u>. To learn more details of warranty policy, please access <u>https://pcsupport.lenovo.com/warranty</u>.

# **ENVIRONMENTAL**

## **Operating Environment**

#### Temperature

- At altitudes up to 2438 m (8,000 ft)
- Operating: 5°C to 35°C (41°F to 95°F)
- Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
- Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

## Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

## Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

# ACCESSORIES

# **Bundled Accessories**

## **Bundled Accessories**

For more compatible accessory solutions, please visit Accessories for IdeaPad® Pro 5 16IMH9

# CERTIFICATIONS

## **Green Certifications**<sup>III</sup>

## Green Certifications

- (Optional) ENERGY STAR<sup>®</sup> 8.0
- (Optional) EPEAT<sup>™</sup> Gold Registered<sup>[2]</sup>
- ErP Lot 26
- ErP Lot 6
- RoHS compliant

## Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration.

[2] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

## **Other Certifications**

## Mil-Spec Test

MIL-STD-810H military test passed (21 test items)

## **Other Certifications**

- (Optional) Intel Evo™ Platform
- Eyesafe Certified 2.0
- TÜV Rheinland<sup>®</sup> Low Blue Light (Hardware Solution)
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

PSREF Product Specifications Reference











