

PRODUCTS INNOVATION DOWNLOADS COMMUNITY WHAT'S HOT

/ISUS

 $\times$ 









ROG Zephyrus G14 (2024) GA403UI

ROG Zephyrus G14 (2024) GA403UI

ROG Zephyrus G14 (2024) GA403UV

ROG Zephyrus G14 (2024)

# **Operating System**

**Operating System** 

### **Operating System**

# **Operating System**

Windows 11 Pro

Windows 11 Pro

Windows 11 Pro

Windows 11 Pro

GA403UV

### Processor

### AMD Ryzen™ 9 8945HS Processor 4GHz (24MB Cache, up to 5.2 GHz, 8 cores, 16 Threads); AMD Ryzen™ AI up to 39 TOPs

### Processor

### AMD Ryzen™ 9 8945HS Processor 4GHz (24MB Cache, up to 5.2 GHz, 8 cores, 16 Threads); AMD Ryzen™ AI up to 39 TOPs

### Processor

### AMD Ryzen™ 9 8945HS Processor 4GHz (24MB Cache, up to 5.2 GHz, 8 cores, 16 Threads); AMD Ryzen™ AI up to 39 TOPs

#### Processor

AMD Ryzen™ 9 8945HS Processor 4GHz (24MB Cache, up to 5.2 GHz, 8 cores, 16 Threads); AMD Ryzen™ AI up to 39 TOPs

### Graphics

### NVIDIA® GeForce RTX™ 4070 Laptop GPU 8GB GDDR6

### **Graphics**

#### NVIDIA® GeForce RTX™ 4070 Laptop GPU 8GB GDDR6

### **Graphics**

### NVIDIA® GeForce RTX™ 4060 Laptop GPU 8GB GDDR6

### Graphics

NVIDIA® GeForce RTX™ 4060 Laptop GPU 8GB GDDR6

**ROG Zephyrus G14 (2024) GA403** 

Features

Tech Specs Gallery Support

# Display

# **ROG Nebula Display**

14-inch

3K (2880 x 1800) OLED 16:10 aspect ratio OLED

Glossy display DCI-P3:100% Refresh Rate:120Hz Response Time:0.2ms

G-Sync / Adaptive-Sync

Pantone Validated MUX Switch + NVIDIA® Advanced Optimus

Support Dolby Vision HDR :Yes

# Display

**ROG Nebula Display** 14-inch

3K (2880 x 1800) OLED 16:10 aspect ratio

OLED Glossy display DCI-P3:100% Refresh Rate:120Hz Response Time:0.2ms

G-Sync / Adaptive-Sync Pantone Validated

MUX Switch + NVIDIA® Advanced Optimus Support Dolby Vision HDR :Yes

# Display

**ROG Nebula Display** 

14-inch 3K (2880 x 1800) OLED 16:10 aspect ratio OLED

Glossy display DCI-P3:100% Refresh Rate:120Hz Response Time:0.2ms G-Sync / Adaptive-Sync

Pantone Validated

MUX Switch + NVIDIA® Advanced Optimus Support Dolby Vision HDR :Yes

# Display

**ROG Nebula Display** 

14-inch

3K (2880 x 1800) OLED 16:10 aspect ratio OLED

Glossy display DCI-P3:100% Refresh Rate:120Hz

Response Time:0.2ms G-Sync / Adaptive-Sync Pantone Validated

MUX Switch + NVIDIA® Advanced Optimus Support Dolby Vision HDR :Yes

# Memory

16GB\*2 LPDDR5X 6400 on board(Rated speed of RAM module. Actual memory speeds may vary by CPU configuration.) Max Capacity:32GB

Support dual channel memory

# Memory

16GB\*2 LPDDR5X 6400 on board(Rated speed of RAM module. Actual memory speeds may vary by CPU configuration.)

Max Capacity:32GB Support dual channel memory

# Memory

16GB\*2 LPDDR5X 6400 on board(Rated speed of RAM module. Actual memory speeds may vary by CPU configuration.) Max Capacity:32GB

Memory

16GB\*2 LPDDR5X 6400 on board(Rated speed of RAM module. Actual memory speeds may vary by CPU configuration.) Max Capacity:32GB Support dual channel memory

# Storage

1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD

# Storage

1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD

# Storage

1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD

Support dual channel memory

# Storage

1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD

# I/O Ports

1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 2 Type-A

1x USB 3.2 Gen 2 Type-C support DisplayPort™

1x Type C USB 4 support DisplayPort™ / power delivery

1x card reader (microSD) (UHS-II)

# I/O Ports

power delivery

1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ 1x Type C USB 4 support DisplayPort™ /

1x card reader (microSD) (UHS-II)

# I/O Ports

power delivery

1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ 1x Type C USB 4 support DisplayPort™ /

1x card reader (microSD) (UHS-II)

# I/O Ports

1x 3.5mm Combo Audio Jack 1x HDMI 2.1 FRL 2x USB 3.2 Gen 2 Type-A 1x USB 3.2 Gen 2 Type-C support DisplayPort™ 1x Type C USB 4 support DisplayPort™ / power delivery 1x card reader (microSD) (UHS-II)

# Keyboard and Touchpad

# Keyboard and Touchpad

ROG Zephyrus G14 (2024) | Gaming Laptops | ROG - Republic of Gamers | ROG Global Backlit Chiclet Keyboard 1-Zone RGB Backlit Chiclet Keyboard 1-Zone RGB

Backlit Chiclet Keyboard 1-Zone RGB Touchpad Touchpad Touchpad

Backlit Chiclet Keyboard 1-Zone RGB Touchpad

Camera

1080P FHD IR Camera for Windows Hello

Audio

Smart Amp Technology AI noise-canceling technology Dolby Atmos Hi-Res certification Built-in 3-microphone array

4-speaker (dual force woofer) system with Smart Amplifier Technology, 2 Tweeters

Audio

Smart Amp Technology AI noise-canceling technology Dolby Atmos Hi-Res certification Built-in 3-microphone array 4-speaker (dual force woofer) system with Smart Amplifier Technology, 2 Tweeters

Audio

**Smart Amp Technology** AI noise-canceling technology Dolby Atmos Hi-Res certification Built-in 3-microphone array 4-speaker (dual force woofer) system with Smart Amplifier Technology, 2 Tweeters

Audio

Smart Amp Technology AI noise-canceling technology Dolby Atmos Hi-Res certification Built-in 3-microphone array 4-speaker (dual force woofer) system with Smart Amplifier Technology, 2 Tweeters

Network and

Communication

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth® 5.3 Wireless Card (\*Bluetooth® version may change with OS version

Network and Communication

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth® 5.3 Wireless Card (\*Bluetooth® version may change with OS version different.)

Network and Communication

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth® 5.3 Wireless Card (\*Bluetooth® version may change with OS version different.)

Network and Communication

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth® 5.3 Wireless Card (\*Bluetooth® version may change with OS version different.)

Battery

different.)

73WHrs, 4S1P, 4-cell Li-ion

Battery

73WHrs, 4S1P, 4-cell Li-ion

Battery

73WHrs, 4S1P, 4-cell Li-ion

**Battery** 

73WHrs, 4S1P, 4-cell Li-ion

**Power Supply** 

Rectangle Conn, 180W AC Adapter, Output: 19V DC, 9.23A, 180W, Input: 100~240V AC, 50/60Hz universal

TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal

**Power Supply** 

Rectangle Conn, 180W AC Adapter, Output: 19V DC, 9.23A, 180W, Input: 100~240V AC, 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal

**Power Supply** 

Rectangle Conn, 180W AC Adapter, Output: 19V DC, 9.23A, 180W, Input: 100~240V AC, 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz

**Power Supply** 

Rectangle Conn, 180W AC Adapter, Output: 19V DC, 9.23A, 180W, Input: 100~240V AC, 50/60Hz universal TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal

**AURA SYNC** 

Yes

**AURA SYNC** 

Yes

**AURA SYNC** 

Yes

universal

**AURA SYNC** 

Yes

**Device Lighting** 

Slash Lighting

**Device Lighting** 

Slash Lighting

**Device Lighting** 

Slash Lighting

**Device Lighting** 

Slash Lighting

Weight

1.50 Kg (3.31 lbs)

Dimensions (W  $\times$  D  $\times$  H)

31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x

 $0.63" \sim 0.64"$ 

Dimensions (W  $\times$  D  $\times$  H)

31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x  $0.63" \sim 0.64"$ 

Dimensions (W x D x H)

31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x  $0.63" \sim 0.64"$ 

Dimensions (W  $\times$  D  $\times$  H)

31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x  $0.63" \sim 0.64"$ 

Security

**BIOS Administrator Password and User Password Protection** McAfee® 30 days free trial

Security

BIOS Administrator Password and User **Password Protection** McAfee® 30 days free trial

Security

**BIOS Administrator Password and User Password Protection** McAfee® 30 days free trial

Security

**BIOS Administrator Password and User Password Protection** McAfee® 30 days free trial

Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)

Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)

Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)

Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)

Note

Note

Note

Note

https://rog.asus.com/laptops/rog-zephyrus/rog-zephyrus-g14-2024/spec/

ROG Zephyrus G14 (2024) | Gaming Laptops | ROG - Republic of Gamers | ROG Global

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.



- An OLED display occurs burn-in damage if a static image is displayed for a prolonged period of time. When your ROG laptop is idle for over 5 minutes, the Microsoft Windows screen saver feature kicks in. The screen saver can move displayed pixels slightly to avoid consistently showing static images on your desktop. This significantly reduces the chance of burn-in and protects the display from visible color shifts over time. To prevent permanent burn-in damage to your OLED display, we strongly suggest that you always leave the feature enabled and avoid leaving your laptop idle for over 30 minutes.
- Please note that this Xbox Game Pass offer must be redeemed within 180 days of activating Windows. Systems that have not activated Windows within two years of their manufacture date will be unable to redeem this offer.
- The standard Asus test environment for battery life is as follows: Windows operating system, display module with 150 nits of brightness, lighting off, and other application settings.
  Video Playback: Testing is done with Wi-Fi/Bluetooth off, Windows Power Plan set to Balanced, Taskbar Power Mode set to Battery Saver, system volume at 67%, and video at full screen, 1080p resolution
- Web Browsing: Testing is done with Wi-Fi/Bluetooth, Windows Power Plan set to Balanced, Taskbar Power Mode set to Better Battery, and using the Weblooper Top50 website in Google Chrome to play the video with a refresh time of 10 seconds.
- Factors that affect battery life include laptop configuration, power settings, and the way it is used. Battery capacity fades with its cycle count and age.
- Quick-charging times apply when using the proper ASUS/ROG adapter included alongside the select model and the system is powered off (via the "shut down" command). In compatible scenarios, batteries can be recharged to 50% within 30 minutes under the optimal temperature range of 20-45 degrees Celsius. Charging times may vary +/- 10% due to system tolerance.
- The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.
- The actual HDMI version of the products should be checked in the product specifications page respectively.
  Unit with RJ45 port does not support "Power over Ethernet" (PoE), only support data transmission.
- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
  Unless otherwise stated, all performance claims are based on theoretical performance. Actual figures may vary in real-world situations.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

ABOUT ROG HOME NEWSROOM ACCESSIBILITY HELP

Global/English

FIVACY POLICY TERMS OF USE NOTICE GASUSTEK COMPUTER INC. ALL RIGHTS RESERVED.