

| Windows 11 Pro                          | Windows 11 Pro                          |
|---|---|
|   |   |
|   |   |
| Processor                               | Processor                               |
| AMD Ryzen™ 9 8945HS Processor 4GHz      | AMD Ryzen™ 9 8945HS Processor 4GHz      |
| (24MB Cache, up to 5.2 GHz, 8 cores, 16 | (24MB Cache, up to 5.2 GHz, 8 cores, 16 |
| Threads); AMD Ryzen™ AI up to 39 TOPs   | Threads); AMD Ryzen™ AI up to 39 TOPs   |
|   |   |
|   |   |

Graphics

Graphics

NVIDIA® GeForce RTX™ 4050 Laptop GPUNVID6GB GDDR66GB

NVIDIA<sup>®</sup> GeForce RTX™ 4050 Laptop GPU 6GB GDDR6

Neural ProcessorNeural ProcessorXDNA 16TOPsXDNA 16TOPs

# Display

# Display

| ROG Nebula Display                                | ROG Nebula Display                                |
|---|---|
| 14-inch   | 14-inch   |
| 3K (2880 x 1800) OLED 16:10 aspect ratio          | 3K (2880 x 1800) OLED 16:10 aspect ratio          |
| OLED  | OLED  |
| Glossy display                                    | Glossy display                                    |
| DCI-P3:100%                                       | DCI-P3:100%                                       |
| Refresh Rate:120Hz                                | Refresh Rate:120Hz                                |
| Response Time:0.2ms                               | Response Time:0.2ms                               |
| G-Sync / Adaptive-Sync                            | G-Sync / Adaptive-Sync                            |
| Pantone Validated                                 | Pantone Validated                                 |
| MUX Switch + NVIDIA <sup>®</sup> Advanced Optimus | MUX Switch + NVIDIA <sup>®</sup> Advanced Optimus |
| Support Dolby Vision HDR :Yes                     | Support Dolby Vision HDR :Yes                     |
|   |   |

## Memory

## Memory

| 16GB*2 LPDDR5X 6400 on board(Rated speed |  |
|--|--|
| of RAM module. Actual memory speeds may  |  |
| vary by CPU configuration.)              |  |
| Max Capacity:32GB                        |  |
| Support dual channel memory              |  |

#### 16GB\*2 LPDDR5X 6400 on board(Rated speed of RAM module. Actual memory speeds may vary by CPU configuration.) Max Capacity:32GB Support dual channel memory

Storage Storage

1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD 1TB PCIe<sup>®</sup> 4.0 NVMe<sup>™</sup> M.2 SSD

# I/O Ports I/O Ports

| 1x 3.5mm Combo Audio Jack              | 1x 3.5mm Combo Audio Jack              |
|--|--|
| 1x HDMI 2.1 FRL                        | 1x HDMI 2.1 FRL                        |
| 2x USB 3.2 Gen 2 Type-A                | 2x USB 3.2 Gen 2 Type-A                |
| 1x USB 3.2 Gen 2 Type-C support        | 1x USB 3.2 Gen 2 Type-C support        |
| DisplayPort™                           | DisplayPort™                           |
| 1x Type C USB 4 support DisplayPort™ / | 1x Type C USB 4 support DisplayPort™ / |
| power delivery                         | power delivery                         |
| 1x card reader (microSD) (UHS-II)      | 1x card reader (microSD) (UHS-II)      |

Keyboard and Touchpad

Keyboard and Touchpad

| Backlit Chiclet Keyboard 1-Zor | ne RGB |
|--------------------------------|--------|
| Touchpad                       |        |

Touchpad

ROG Zephyrus G14 (2024) | Gaming Laptops | ROG - Republic of Gamers | ROG Global

| Camera                                | Camera                                |
|---------------------------------------|---------------------------------------|
| 1080P FHD IR Camera for Windows Hello | 1080P FHD IR Camera for Windows Hello |
| Audio                                 | Audio                                 |
| Smart Amp Technology                  | Smart Amp Technology                  |

| Smart Amp Technology                      | Smart Amp Technology                      |
|---|---|
| AI noise-canceling technology             | AI noise-canceling technology             |
| Dolby Atmos                               | Dolby Atmos                               |
| Hi-Res certification                      | Hi-Res certification                      |
| Built-in 3-microphone array               | Built-in 3-microphone array               |
| 4-speaker (dual force woofer) system with | 4-speaker (dual force woofer) system with |
| Smart Amplifier Technology, 2 Tweeters    | Smart Amplifier Technology, 2 Tweeters    |
|   |   |

# Network and Communication

Network and Communication

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth<sup>®</sup> 5.3 Wireless Card (\*Bluetooth<sup>®</sup> version may change with OS version different.)

Wi-Fi 6E(802.11ax) (Triple band) 2\*2 + Bluetooth<sup>®</sup> 5.3 Wireless Card (\*Bluetooth<sup>®</sup> version may change with OS version different.)

Battery

Battery

73WHrs, 4S1P, 4-cell Li-ion

73WHrs, 4S1P, 4-cell Li-ion

| Power Supply                             | Power Supply                             |
|--|--|
| Rectangle Conn, 180W AC Adapter, Output: | Rectangle Conn, 180W AC Adapter, Output: |
| 19V DC, 9.23A, 180W, Input: 100~240V AC, | 19V DC, 9.23A, 180W, Input: 100~240V AC, |
| 50/60Hz universal                        | 50/60Hz universal                        |
| TYPE-C, 100W AC Adapter, Output: 20V DC, | TYPE-C, 100W AC Adapter, Output: 20V DC, |
| 5A, 100W, Input: 100~240V AC 50/60Hz     | 5A, 100W, Input: 100~240V AC 50/60Hz     |
| universal                                | universal                                |
|  |  |

| AURA SYNC | AURA SYNC |
|-----------|-----------|
| Yes       | Yes       |
|           |           |

| Device Lighting    | Device Lighting    |
|--------------------|--------------------|
| Slash Lighting     | Slash Lighting     |
|                    |                    |
| Weight             | Weight             |
| 1.50 Kg (3.31 lbs) | 1.50 Kg (3.31 lbs) |
|                    | 1.50 Kg (5.51 lbs) |

| Dimensions (W x D x H)                         | Dimensions (W x D x H)                         |
|--|--|
| 31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x | 31.1 x 22.0 x 1.59 ~ 1.63 cm (12.24" x 8.66" x |
| 0.63" ~ 0.64")                                 | 0.63" ~ 0.64")                                 |

## Security

Security

BIOS Administrator Password and User Password Protection McAfee<sup>®</sup> 30 days free trial

BIOS Administrator Password and User Password Protection McAfee<sup>®</sup> 30 days free trial

#### Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)

#### Included in the Box

ROG Zephyrus G14 Sleeve (2024)(optional) ROG Impact Gaming Mouse(optional) TYPE-C, 100W AC Adapter, Output: 20V DC, 5A, 100W, Input: 100~240V AC 50/60Hz universal(optional)



All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.



- An OLED display occurs burn-in damage if a static image is displayed for a prolonged period of time. When your ROG laptop is idle for over 5 minutes, the Microsoft Windows screen saver feature kicks in. The screen saver can move displayed pixels slightly to avoid consistently showing static images on your desktop. This significantly reduces the chance of burn-in and protects the display from visible color shifts over time. To prevent permanent burn-in damage to your OLED display, we strongly suggest that you always leave the feature enabled and avoid leaving your laptop idle for over 30 minutes.
- Please note that this Xbox Game Pass offer must be redeemed within 180 days of activating Windows. Systems that have not activated Windows within two years of their manufacture date will be unable to redeem this offer.
- The standard Asus test environment for battery life is as follows: Windows operating system, display module with 150 nits of brightness, lighting off, and other application settings.
- Video Playback: Testing is done with Wi-Fi/Bluetooth off, Windows Power Plan set to Balanced, Taskbar Power Mode set to Battery Saver, system volume at 67%, and video at full screen, 1080p resolution
- Web Browsing: Testing is done with Wi-Fi/Bluetooth, Windows Power Plan set to Balanced, Taskbar Power Mode set to Better Battery, and using the Weblooper Top50 website in Google Chrome to play the video with a refresh time of 10 seconds.
- Factors that affect battery life include laptop configuration, power settings, and the way it is used. Battery capacity fades with its cycle count and age.
- Quick-charging times apply when using the proper ASUS/ROG adapter included alongside the select model and the system is powered off (via the "shut down" command). In compatible scenarios, batteries can be recharged to 50% within 30 minutes under the optimal temperature range of 20-45 degrees Celsius. Charging times may vary +/- 10% due to system tolerance.
- The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.
- The actual HDMI version of the products should be checked in the product specifications page respectively.
- Unit with RJ45 port does not support "Power over Ethernet" (PoE), only support data transmission.
- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- Unless otherwise stated, all performance claims are based on theoretical performance. Actual figures may vary in real-world situations.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.

> LAPTOPS > ROG ZEPHYRUS > ROG ZEPHYRUS G14 (2024) > SPEC

ABOUT ROG HOME NEWSROOM ACCESSIBILITY HELP

f X 🖸 🕨 🖓 🗸 f

Global/English

PRIVACY POLICY TERMS OF USE NOTICE ©ASUSTEK COMPUTER INC. ALL RIGHTS RESERVED.